



**EP 型 / EP Core**

型号 TYPE	图例 FIG.	尺寸 Dimensions ( mm )						
		A	B	C	D	E	F	G
EP7.35E	2	7.35±0.2	3.85±0.2	5.85±0.2	3.05+0/-0.15	6min	2.84±0.2	3.4±0.15
EP7	1	9.2±0.2	3.7±0.15	6.4±0.2	3.35±0.15	7.2min	2.4min	
EP10A	1	11.5±0.3	5.1±0.15	7.9+0/-0.4	3.3±0.2	9.2min	3.5min	
EP11.8/10.2/7.7	1	11.8±0.3	5.1±0.2	7.9+0/-0.4	3.3±0.2	9.9+0/-0.4	3.6+0.4/-0	
EP13K	1	12.5±0.3	6.5±0.3	8.8±0.2	4.4±0.2	9.7min	4.5min	
EP17	1	18.1±0.4	8.4±0.4	11.3+0/-0.6	5.9+0/-0.4	12.0±0.4	5.5+0.4/-0	
EP20	1	24.0±0.5	10.7±0.2	15.0±0.4	8.8±0.3	16.5±0.4	7.2±0.2	

**EPC 型 / EPC Core**

型号 TYPE	图例 FIG.	尺寸 Dimensions ( mm )						
		A	B	C	D	E	F	G
EPC13	1	13.3±0.3	6.6±0.2	4.6±0.15	5.6±0.15	10.5min	4.5±0.2	2.05±0.1

C1	Ae	Le	Amin	Ve	AL(±25%)				重量 g /PRS
					TS5	TS7	TS10镜面	TS13镜面	
1.52	9.98	15.12	8.24	150.79	1600	1800	2500 min	2800 min	0.95
1.31	11.09	14.53	8.81	161.15	1800	2000	2900 min	3600 min	1.40
1.60	11.29	18.07	8.55	203.97	1700	1900	3360 min	4000 min	2.90
1.70	11.03	18.70	8.55	206.30	1650	1850	3000 min	3300 min	2.91
1.21	19.47	23.52	15.21	457.90	2600	3000	4900 min	5600 min	5.30
0.80	33.60	26.76	25.52	898.96	4300	4900	6300 min	7350 min	12.20
0.48	78.87	37.55	60.82	2961.33	7100	8200	11900 min	14000 min	29.00

H	C1	Ae	Le	Amin	Ve	AL(±25%)				重量 g /PRS
						TS5	TS7	TS10镜面	TS13镜面	
8.3min	2.25	12.79	28.76	10.58	367.8	1300	1500	2300min	2600min	2.2